

## Accessories



I0200RG-00-000

### Rescue Mate™ Rescue Bags

- » 1000-denier Cordura® bag holds 3/8" braided, floating polypropylene rope
- » Rope supports up to 1,800 lbs. of tensile pressure
- » Orange bag with quick-release carrying strap
- » 1" reflective tape around the bag for visibility



ITEM #	ORDER #	DESCRIPTION	UOM
I0200RG-00-000	623903621	Bag with 50 ft. of Rope	EA
I0210RG-00-000	623903631	Bag with 70 ft. of Rope	EA



I0230RG-00-000

### Ring Buoy Type IV and Rope Bag

- » 30" (77 cm) industrial-grade ring buoy
- » Constructed of high-impact, low-density orange polyethylene
- » Replaceable encircling rope for added gripping
- » I030 Type IV Ring Buoy - USCG Approval



I0300RG-00-REF



ITEM #	ORDER #	DESCRIPTION	UOM
I0300RG-00-REF	623903861	30 in. Ring Buoy	EA
<b>90 ft. of 3/8" Polypropylene Floating Rope and Bag, Attaches to Ring Buoy</b>			
I0230RG-00-000	623903781	Rope and Bag	EA

## Flotation Vests/Jackets



2000013834

### Force™ II Life Vests

- » US Coast Guard-approved, USCG Type V Vest
- » Aquafoam™ flotation foam retains buoyancy, even when punctured
- » 3M™ Scotchlite™ SOLAS-grade reflective strips on the front and back
- » Compatible with most fall protection harnesses
- » Self-extinguishing construction reduces fire risks
- » 17.5 lbs. (78 Newtons) of buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000013834	623900431	Size: Universal	EA
2000015183	623905231	Size: Oversize	EA



3000003509

### Inflatable Work Vest

- » USCG Approved Work Vest
- » Puncture resistant outer shell, tri-fold for easy repacking
- » 31.5 sq in. of reflective tape
- » Fall protection harness opening in back
- » Automatic Inflator with clear viewing window
- » Provides a minimum of 35 lbs. of buoyancy when fully inflated

ITEM #	ORDER #	DESCRIPTION	UOM
3000003509	623935091	Size: Universal	EA



# Flotation Vests/Jackets



2000011404

## First Mate™ Life Vests

- » US Coast Guard-approved, USCG Type III vest
- » Four hook-and-loop pockets and two sturdy D-rings to hang gear
- » Contoured design and side-adjustment tabs
- » 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 panel patches
- » Minimum 15.5 lbs. (69 Newtons) buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000011404	623900291	Size Medium	EA
2000011405	623900301	Size XLarge	EA
2000011406	623900311	Size 2XLarge	EA
2000011407	623900321	Size 3XLarge	EA
2000011408	623900331	Size 4XLarge	EA



I416ORG-04-000F

## Deck Hand II™ Life Vests

- » Breathable marine mesh lining wicks away moisture
- » 3M™ Scotchlite™ SOLAS-grade reflective strips
- » Heavy-duty encircling belt, rustproof Vision® Zipper and chest pocket
- » 15.5 lbs. (69 Newtons) of buoyancy
- » US Coast Guard-approved, 29-02 Type III PFD

ITEM #	ORDER #	DESCRIPTION	UOM
I416ORG-03-000F	623900111	Size Medium	EA
I416ORG-04-000F	623900121	Size Large	EA
I416ORG-05-000F	623900131	Size XLarge	EA
I416ORG-06-000F	623900141	Size 2XLarge	EA
I416ORG-07-000F	623900151	Size 3XLarge	EA
I416ORG-08-000F	623900161	Size 4XLarge-7XLarge	EA



2000011389

## General Purpose Vests

- » US Coast Guard-approved, USCG Type III Vest
- » Two encircling body belts and one chest strap
- » Durable Crosstech® flotation foam
- » 200 Denier nylon oxford outershell
- » 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels

ITEM #	ORDER #	DESCRIPTION	UOM
2000011389	623900281	Size: Universal	EA



I405ORG-00-000F

## Welders Vest

- » US Coast Guard-approved, USCG Type III vest
- » Fiberglass shell suitable for marine welding
- » Breathable marine mesh lining wicks away moisture
- » Oversized armholes, adjustable sides and rustproof Vision® zipper
- » Aquafoam™ Flotation Foam retains buoyancy even when punctured
- » 15.5 lbs. (69 Newtons) of buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
I405ORG-00-000F	623900091	Size: Universal	EA

## Flotation Vests/Jackets



2000011434

### I624 Deck Hand™ Vests

- » US Coast Guard-approved Type III
- » Tough nylon oxford outershell and lightweight Crosstech® Flotation Foam
- » Breathable mesh lining wicks away excess moisture
- » 3M™ Scotchlite™ SOLAS-grade reflective strips improve visibility
- » Heavy-duty encircling belt with side adjustments and a rustproof Vision® zipper
- » 15.5 lbs. (69 Newtons) of buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000011433	623900631	Size Medium	EA
2000011434	623900641	Size Large	EA
2000011435	623900651	Size XLarge	EA
2000011436	623900661	Size 2XLarge	EA
2000011437	623900671	Size 3XLarge	EA



2000011417

### I426 Search and Rescue (SAR) Vests

- » US Coast Guard-approved life jacket - Type III
- » Two 1.5" encircling belts, adjustable chest strap and zippered front
- » Two pockets with hook-and-loop tape closures
- » Rolled, stand-up collar
- » Minimum 15.5 lbs. (69 Newtons) buoyancy
- » 66 sq. in. of 3M™ Scotchlite™ SOLAS grade 6755 reflective material

ITEM #	ORDER #	DESCRIPTION	UOM
2000011416	623900571	Size Medium	EA
2000011417	623900581	Size Large	EA
2000011418	623900591	Size XLarge	EA
2000011419	623900601	Size 2XLarge	EA
2000011420	623900611	Size 3XLarge	EA



2000004522

### Deluxe Merchant Mate™ II Life Vest

- » US Coast Guard-approved, USCG Type I vest
- » Foam-filled collar, two chest adjusters change the flotation angle to turn most unconscious wearers face up
- » Back panel accommodates most fall protection harnesses
- » 3M™ Scotchlite™ SOLAS-grade reflective strips
- » Shoulder mount flashlight patch, pocket and included USCG-approved whistle
- » 22 lbs. (98 Newtons) of buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000004522	623900051	Universal Size	EA



2000004520

### Work Master™ Vests

- » US Coast Guard-approved Type III/V performance
- » Closed-cell foam, marine mesh liner and hinged back
- » Body belt with strap tunnels, quick-adjustment slides and easy-snap buckles
- » Flotation collar keeps swimmer's head able to look for help
- » 62 sq. in. (400 sq. cm) of 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels
- » Durable webbed 1" (2.54 cm) straps, nylon shell and PVC flotation foam
- » 17.5 lbs. (78 Newton) buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000004520	623900401	Size: Universal	EA
2000004521	623900411	Size: Oversize	EA



# Flotation Vests/Jackets



## Work Zone Gear™ Life Vests

- » US Coast Guard-approved Type III
- » 3M™ Scotchlite™ Reflective Material SOLAS-grade 6187 on panels
- » Crosstech® flotation foam and polyester outer shell construction
- » Two body straps, zippered front for fit
- » Large arm holes and low necklines
- » D-ring for gear, two pockets with hook-and-loop tape closures
- » Minimum 15.5 lbs. (69 Newtons) buoyancy



2000011357



I424ORG-04-ANS



300001119

ITEM #	ORDER #	DESCRIPTION	UOM
--------	---------	-------------	-----

### Orange Vest with 3M™ Scotchlite™ Reflective Shoulder Panels

2000011410	623900451	Size Medium	EA
2000011357	623900461	Size Large	EA
2000011412	623900471	Size XLarge	EA
2000011413	623900481	Size 2XLarge	EA
2000011414	623900491	Size 3XLarge	EA

### ANSI Hi-Viz Orange Vest with HiViz Yellow 3M™ Scotchlite™ Reflective Stripping

I424ORG-03-ANS	623900511	Size Medium	EA
I424ORG-04-ANS	623900521	Size Large	EA
I424ORG-05-ANS	623900531	Size XLarge	EA
I424ORG-06-ANS	623900541	Size 2XLarge	EA
I424ORG-07-ANS	623900551	Size 3XLarge	EA

### ANSI Hi-Viz Green Vest with Silver 3M™ Scotchlite™ Reflective Stripping

300001118	623911181	Size Medium	EA
300001119	623911191	Size Large	EA
300001120	623911201	Size XLarge	EA
300001121	623911221	Size 2XLarge	EA
300001123	623911231	Size 3XLarge	EA



## Type III Search and Rescue (SAR) Vest

- » US Coast Guard-approved life jacket - Type III
- » Attached leg strap, emergency whistle and light loop for flashlight
- » Fleece-lined pockets heat cold fingers and zippered storage compartments for gear
- » 2-in.-wide (5.08 cm) adjustable belts and chest strap
- » 62 sq. in. (400 sq. cm) of 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels
- » 15.5-lb (69-Newton) buoyancy



4185ORG-04-000

ITEM #	ORDER #	DESCRIPTION	UOM
4185ORG-03-000	623902621	Orange, Size Small	EA
4185ORG-04-000	623902631	Orange, Size Large	EA
4185ORG-05-000	623902641	Orange, Size XLarge	EA
4185ORG-06-000	623902651	Orange, Size 2XLarge	EA
4185ORG-07-000	623902661	Orange, Size 3XLarge	EA
4185ORG-08-000	623902671	Orange, Size 4XLarge	EA



## Flotation Vests/Jackets

### Versatile™ Vests

- » US Coast Guard-approved Type III performance
- » Four hook-and-loop pockets, two D-rings and eyelets to attach equipment
- » 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels for visibility
- » Durable nylon shell, marine mesh lining and PVC flotation foam construction
- » 15.5 lbs. (69 Newtons) buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
I4650RG-03-000F	623900351	Size Medium	EA
I4650RG-04-000F	623900361	Size Large	EA
I4650RG-05-000F	623900371	Size XLarge	EA
I4650RG-06-000F	623900381	Size 2XLarge	EA
I4650RG-07-000F	623900391	Size 3XLarge	EA



I4650RG-04-000F



2000005011

### 1470 Ultra Commercial-Automatic Vests

- » US Coast Guard-approved life jacket - Type V/II (Auto) or Type V/III (Manual)
- » Auto inflation when submerged in water, manual inflation by pulling lanyard or by oral tube
- » Pocket for extra cylinder and D-ring for attaching gear
- » 3M™ Scotchlite™ SOLAS-grade 6755 reflective material
- » 33.7 lbs. of buoyancy, 33-gram CO<sub>2</sub> cylinder

ITEM #	ORDER #	DESCRIPTION	UOM
2000005011	623901671	Orange, Size: Universal	EA
2000005012	623901661	Black, Size: Universal	EA



2000004041

### Ultra 4000 Convertible-Automatic Vests

- » US Coast Guard-approved - Type V/II (Auto) / Type V/III (Manual)
- » Convertible from automatic to manual-only inflation
- » 2-in. adjustable belt, D-ring and cylinder storage pocket
- » Reflective accents make you easier to see
- » Patented L-Tab™ webbing catch secures excess belt length
- » 33.7 lbs. of buoyancy

ITEM #	ORDER #	DESCRIPTION	UOM
2000004041	623901651	Black, Size: Universal	EA



### Neoprene Cold Water Gloves

- » 2 mm neoprene gloves specially-glued and blind-stitched
- » Rugged shark skin palm

ITEM #	ORDER #	DESCRIPTION	UOM
5600BLK-03-000	623903661	Black, Size Medium	PR
5600BLK-04-000	623903671	Black, Size Large	PR
5600BLK-05-000	623903681	Black, Size XLarge	PR

## Hand Protection



5600BLK-04-000

# Accessories



2000027422

## Ice Rescue Suit

- » Constructed of 5 mm flame retardant neoprene
- » 100% Closed Cell Neoprene
- » 3M Scotchlite Reflective Material SOLAS grade
- » Hood with offset zipper
- » Waterproof zipper
- » Five-Fingered Insulated gloves with textured palms
- » Stainless Steel Hardware on lifting harness
- » Adjustable Wrists w/wrist pockets for ice picks
- » Thick soled boot with tread for sure footing
- » Not intended for prolonged immersion, recommended for surface rescue only.

ITEM #	ORDER #	DESCRIPTION	UOM
2000027421	623905671	Size: Small, Up to 250 lbs. Max Height: 5 ft. 8 in. (173 cm)	EA
2000027422	623905681	Size: Universal, 110-330 lbs. Max Height: 6 ft. 3 in. (191 cm)	EA
2000027423	623901701	Size: Oversize, 220-330 lbs. Max Height: 6 ft. 9 in. (205 cm)	EA



## Rapid Rescue Extreme™ Surface Dry Suits

- » Made with extra-breathable nylon laminated, waterproof fabric
- » Internal suspenders that keep the suit in place
- » Latex and neoprene seals around the neck and wrists keep moisture out and you dry
- » Reinforced Cordura® fabric knees and elbows offer added durability
- » Quick-access entry zipper and built-in waterproof socks make for rapid dressing
- » Reflective markings for added visibility
- » Padded polyurethane reinforced knees

ITEM #	ORDER #	DESCRIPTION	UOM
2000023957	623905591	Red/Black, Size Medium	EA
2000023958	623905521	Red/Black, Size Large	EA
2000023959	623905341	Red/Black, Size XLarge	EA
2000023960	623905601	Red/Black, Size XXLarge	EA



1810-04-000



2000008113



## SOLAS Cold Water Immersion Suits

- » 5 mm, stretchable, flame-retardant neoprene for protection from hypothermia
- » Five-fingered integrated gloves, face shields and inflatable neck support
- » Immersion suit pocket and SOLAS-approved whistle
- » 3M™ Scotchlite™ Reflective Material SOLAS-grade 3150-A PS
- » Stainless steel lifting harness and buddy line with snap hook
- » Durable, non-slip soles
- » USCG Certificate of Approval, Module B with Head Support (Type S)

ITEM #	ORDER #	DESCRIPTION	UOM
2000008113	623981131	Red/Black, Size: Adult Universal	EA
2000008114	623981141	Red/Black, Size: Adult Oversize	EA