



Disposable

DuPont™ ProShield® 10 Coveralls

- » Designed for workers in a range of industries for non-hazardous dry particle and light liquid splash applications
- » Spunbond-Meltblown-Spunbond (SMS) garments, are optimized for comfort, softness and breathability
- » Uses include general maintenance, janitorial/cleaning and other dirty work
- » Serged seams, front zipper closure and storm flap

ITEM #	ORDER #	DESCRIPTION	UOM
Collar, Open Wrists and Ankles			
PB120SBUMD002500	31712500	Blue, Medium	25/Cs
PB120SBULG002500	31712501	Blue, Large	25/Cs
PB120SBUXL002500	31712502	Blue, XLarge	25/Cs
PB120SBU2X002500	31712503	Blue, 2XLarge	25/Cs
PB120SBU3X002500	31712504	Blue, 3XLarge	25/Cs
PB120SBU4X002500	31712505	Blue, 4XLarge	25/Cs
PB120SWHMD002500	31712510	White, Medium	25/Cs
PB120SWHLG002500	31712511	White, Large	25/Cs
PB120SWHXL002500	31712512	White, XLarge	25/Cs
PB120SWH2X002500	31712513	White, 2XLarge	25/Cs
PB120SWH3X002500	31712514	White, 3XLarge	25/Cs
PB120SWH4X002500	31712515	White, 4XLarge	25/Cs
Attached Hood and Boots, Elastic Wrists			
PB122SBUMD002500	31712520	Blue, Medium	25/Cs
PB122SBULG002500	31712521	Blue, Large	25/Cs
PB122SBUXL002500	31712522	Blue, XLarge	25/Cs
PB122SBU2X002500	31712523	Blue, 2XLarge	25/Cs
PB122SBU3X002500	31712524	Blue, 3XLarge	25/Cs
PB122SBU4X002500	31712525	Blue, 4XLarge	25/Cs
PB122SWHMD002500	31712530	White, Medium	25/Cs
PB122SWHLG002500	31712531	White, Large	25/Cs
PB122SWHXL002500	31712532	White, XLarge	25/Cs
PB122SWH2X002500	31712533	White, 2XLarge	25/Cs
PB122SWH3X002500	31712534	White, 3XLarge	25/Cs
PB122SWH4X002500	31712535	White, 4XLarge	25/Cs
Collar, Elastic Wrists and Ankles			
PB125SBUMD002500	31712540	Blue, Medium	25/Cs
PB125SBULG002500	31712541	Blue, Large	25/Cs
PB125SBUXL002500	31712542	Blue, XLarge	25/Cs
PB125SBU2X002500	31712543	Blue, 2XLarge	25/Cs
PB125SBU3X002500	31712544	Blue, 3XLarge	25/Cs
PB125SBU4X002500	31712545	Blue, 4XLarge	25/Cs
PB125SWHMD002500	31712550	White, Medium	25/Cs
PB125SWHLG002500	31712551	White, Large	25/Cs
PB125SWHXL002500	31712552	White, XLarge	25/Cs
PB125SWH2X002500	31712553	White, 2XLarge	25/Cs
PB125SWH3X002500	31712554	White, 3XLarge	25/Cs
PB125SWH4X002500	31712555	White, 4XLarge	25/Cs
Attached Hood, Elastic Wrists and Ankles			
PB127SBUMD002500	31712560	Blue, Medium	25/Cs
PB127SBULG002500	31712561	Blue, Large	25/Cs
PB127SBUXL002500	31712562	Blue, XLarge	25/Cs
PB127SBU2X002500	31712563	Blue, 2XLarge	25/Cs
PB127SBU3X002500	31712564	Blue, 3XLarge	25/Cs
PB127SBU4X002500	31712565	Blue, 4XLarge	25/Cs
PB127SWHMD002500	31712570	White, Medium	25/Cs
PB127SWHLG002500	31712571	White, Large	25/Cs
PB127SWHXL002500	31712572	White, XLarge	25/Cs
PB127SWH2X002500	31712573	White, 2XLarge	25/Cs
PB127SWH3X002500	31712574	White, 3XLarge	25/Cs
PB127SWH4X002500	31712575	White, 4XLarge	25/Cs



PB120SBULG002500



PB122SBU2X002500



PB125SWHMD002500



PB127SWHXL002500



Disposable



DuPont™ ProShield® 50 Coveralls

- » Provides a barrier against a range of non-hazardous aerosols, light liquid splash and dry particles
- » Made with a microporous film that is laminated to a spunbonded polypropylene substrate
- » Uses include janitorial, sanitation, general industrial and maintenance
- » Serged seams and front zipper closure

ITEM #	ORDER #	DESCRIPTION	UOM
Collar, Open Wrists and Ankles			
NB120SWHSM002500	31710111	White, Small	25/Cs
NB120SWHMD002500	31710113	White, Medium	25/Cs
NB120SWHLG002500	31710114	White, Large	25/Cs
NB120SWHXL002500	31710119	White, XLarge	25/Cs
NB120SWH2X002500	31710122	White, 2XLarge	25/Cs
NB120SWH3X002500	31710123	White, 3XLarge	25/Cs
NB120SWH4X002500	31710149	White, 4XLarge	25/Cs

Attached Hood and Boots, Elastic Wrists

NB122SWHSM002500	31710150	White, Small	25/Cs
NB122SWHMD002500	31710151	White, Medium	25/Cs
NB122SWHLG002500	31710152	White, Large	25/Cs
NB122SWHXL002500	31710157	White, XLarge	25/Cs
NB122SWH2X002500	31710072	White, 2XLarge	25/Cs
NB122SWH3X002500	31710073	White, 3XLarge	25/Cs
NB122SWH4X002500	31710074	White, 4XLarge	25/Cs

Collar, Elastic Wrists and Ankles

NB125SWHSM002500	31710075	White, Small	25/Cs
NB125SWHMD002500	31710076	White, Medium	25/Cs
NB125SWHLG002500	31710077	White, Large	25/Cs
NB125SWHXL002500	31710079	White, XLarge	25/Cs
NB125SWH2X002500	31710080	White, 2XLarge	25/Cs
NB125SWH3X002500	31710161	White, 3XLarge	25/Cs
NB125SWH4X002500	31710162	White, 4XLarge	25/Cs

Attached Hood, Elastic Wrists and Ankles

NB127SWHSM002500	31710177	White, Small	25/Cs
NB127SWHMD002500	31710178	White, Medium	25/Cs
NB127SWHLG002500	31710180	White, Large	25/Cs
NB127SWHXL002500	31710181	White, XLarge	25/Cs
NB127SWH2X002500	31710182	White, 2XLarge	25/Cs
NB127SWH3X002500	31710183	White, 3XLarge	25/Cs
NB127SWH4X002500	31710185	White, 4XLarge	25/Cs



NB122SWHLG002500



NB125SWHXL002500



Disposable



DuPont™ ProShield® 60 Coveralls

- » Provides a barrier against a range of non-hazardous aerosols, light liquid splash and dry particles
- » Made with a microporous film that is laminated to a spundbonded polypropylene substrate
- » Applications include: automotive refinishing, waste cleanup and remediation
- » Serged seams and front zipper closure

ITEM #	ORDER #	DESCRIPTION	UOM
Collar, Open Wrists and Ankles			
NG120S-L	31710125	White, Large	25/Cs
NG120S-XL	31710128	White, XLarge	25/Cs
NG120S-2XL	31710129	White, 2XLarge	25/Cs
NG120S-3XL	31710130	White, 3XLarge	25/Cs
NG120S-4XL	31710131	White, 4XLarge	25/Cs

Attached Hood and Boots, Elastic Wrists			
NG122S-M	31710135	White, Medium	25/Cs
NG122S-L	31710134	White, Large	25/Cs
NG122S-XL	31710136	White, XLarge	25/Cs
NG122S-2XL	31710137	White, 2XLarge	25/Cs
NG122S-3XL	31710138	White, 3XLarge	25/Cs
NG122S-4XL	31710139	White, 4XLarge	25/Cs
NG122S-5XL	31710140	White, 5XLarge	25/Cs

Collar, Elastic Wrists and Ankles			
NG125S-M	31710635	White, Medium	25/Cs
NG125S-L	31710141	White, Large	25/Cs
NG125S-XL	31710142	White, XLarge	25/Cs
NG125S-2XL	31710143	White, 2XLarge	25/Cs
NG125S-3XL	31710144	White, 3XLarge	25/Cs
NG125S-4XL	31710145	White, 4XLarge	25/Cs
NG125S-5XL	31710146	White, 5XLarge	25/Cs

Storm Flap, Respirator-Fit Hood, Elastic Face, Wrists and Ankles			
NG127S-M	31716146	White, Medium	25/Cs
NG127S-L	31716147	White, Large	25/Cs
NG127S-XL	31716148	White, XLarge	25/Cs
NG127S-2XL	31716149	White, 2XLarge	25/Cs
NG127S-3XL	31716150	White, 3XLarge	25/Cs
NG127S-4XL	31716151	White, 4XLarge	25/Cs



NG122S-2XL



NG125S-2XL



Disposable



TM122S-2XL



DuPont™ ProShield® 6 SFR Coveralls

- » Lightweight, disposable overgarment designed to help protect and preserve primary flame-resistant garments
- » Provides a barrier against non-hazardous particles and aerosols while not contributing to burn injury
- » Applications include: steel mills, coal mines, maintenance work, refineries, laboratories, utilities
- » Serged seams and front zipper closure

ITEM #	ORDER #	DESCRIPTION	UOM
Collar, Open Wrists and Ankles			
TM120S-L	31712975	Blue, Large	25/Cs
TM120S-XL	31712978	Blue, XLarge	25/Cs
TM120S-2XL	31712979	Blue, 2XLarge	25/Cs
TM120S-3XL	31712980	Blue, 3XLarge	25/Cs
TM120S-4XL	31713965	Blue, 4XLarge	25/Cs
TM120S-5XL	31714029	Blue, 5XLarge	25/Cs
Attached Hood and Socks, Elastic Wrists			
TM122S-L	31713564	Blue, Large	25/Cs
TM122S-XL	31713761	Blue, XLarge	25/Cs
TM122S-2XL	31714082	Blue, 2XLarge	25/Cs
TM122S-3XL	31711122	Blue, 3XLarge	25/Cs
TM122S-4XL	31711123	Blue, 4XLarge	25/Cs
TM122S-5XL	31712509	Blue, 5XLarge	25/Cs
Attached Hood, Elastic Wrists and Ankles			
TM127S-L	31712985	Blue, Large	25/Cs
TM127S-XL	31712988	Blue, XLarge	25/Cs
TM127S-2XL	31712989	Blue, 2XLarge	25/Cs
TM127S-3XL	31712990	Blue, 3XLarge	25/Cs
TM127S-4XL	31710457	Blue, 4XLarge	25/Cs
TM127S-5XL	31714038	Blue, 5XLarge	25/Cs



DuPont™ Tychem® 2000 Coveralls

- » Light liquid splash protection is polyethylene-coated Tyvek® fabric
- » Use in the petroleum, pulp and paper, food and chemical processing and pharmaceutical industries
- » Meets ASTM F1670 and ASTM F1671 tests, offering bloodborne pathogen protection
- » Front zipper closure and storm flap with tape closure



QC122S-XL

ITEM #	ORDER #	DESCRIPTION	UOM
Collar, Open Wrists and Ankles			
QC120B-L	31710295	Bound, Large	12/Cs
QC120B-XL	31710298	Bound, XLarge	12/Cs
QC120B-2XL	31710299	Bound, 2XLarge	12/Cs
QC120B-3XL	31710300	Bound, 3XLarge	12/Cs
QC120B-4XL	31710323	Bound, 4XLarge	12/Cs
Attached Hood and Socks, Elastic Wrists and Face			
QC122S-L	31710314	Serged, Large	12/Cs
QC122S-XL	31710317	Serged, XLarge	12/Cs
QC122S-2XL	31710318	Serged, 2XLarge	12/Cs
QC122S-3XL	31710319	Serged, 3XLarge	12/Cs
Collar, Front Storm Flap, Elastic Wrists and Ankles			
QC125B-L	31710321	Bound, Large	12/Cs
QC125B-XL	31710324	Bound, XLarge	12/Cs
QC125B-2XL	31710325	Bound, 2XLarge	12/Cs
QC125B-3XL	31710326	Bound, 3XLarge	12/Cs
QC125B-4XL	31710327	Bound, 4XLarge	12/Cs
QC125S-L	31710329	Serged, Large	12/Cs
QC125S-XL	31710332	Serged, XLarge	12/Cs
QC125S-2XL	31710333	Serged, 2XLarge	12/Cs
QC125S-3XL	31710334	Serged, 3XLarge	12/Cs
QC125S-4XL	31710335	Serged, 4XLarge	12/Cs
Attached Hood, Elastic Face, Wrists and Ankles			
QC127S-M	31710346	Serged, Medium	12/Cs
QC127S-L	31710345	Serged, Large	12/Cs
QC127S-XL	31710348	Serged, XLarge	12/Cs
QC127S-2XL	31710349	Serged, 2XLarge	12/Cs
QC127S-3XL	31710350	Serged, 3XLarge	12/Cs
QC127S-4XL	31710351	Serged, 4XLarge	12/Cs
QC127S-5XL	31710352	Serged, 5XLarge	12/Cs



Disposable



DuPont™ Tychem® 6000 Coveralls

- » Made of a proprietary barrier film laminated to a Tyvek® substrate
- » Provides at least 30 min. of protection against >180 chemical challenges
- » Used by military personnel and first responders for chemical warfare agent situation
- » Taped seams, attached hood (respirator fit) and front zipper closure
- » Storm flap with tape closure, elastic wrists and attached socks



TF145T-L

ITEM #	ORDER #	DESCRIPTION	UOM
TF145T-M	31710728	Gray, Medium	6/Cs
TF145T-L	31710727	Gray, Large	6/Cs
TF145T-XL	31710729	Gray, XLarge	6/Cs
TF145T-2XL	31710730	Gray, 2XLarge	6/Cs
TF145T-3XL	31710731	Gray, 3XLarge	6/Cs
TF145T-4XL	31710732	Gray, 4XLarge	6/Cs



DuPont™ Tyvek® 400 Coveralls

- » An ideal balance of protection, durability and comfort
- » Breathable inherent Tyvek® 400 fabric barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- » Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- » Front zipper closure with storm flap
- » Serged seams and elastic waist



TY127S-XL

ITEM #	ORDER #	DESCRIPTION	UOM
Collar, Open Wrists and Ankles			
TY120S-M	31710459	White, Medium	25/Cs
TY120S-L	31710458	White, Large	25/Cs
TY120S-XL	31710461	White, XLarge	25/Cs
TY120S-2XL	31710462	White, 2XLarge	25/Cs
TY120S-3XL	31710463	White, 3XLarge	25/Cs
TY120S-4XL	31710464	White, 4XLarge	25/Cs

Attached Hood and Boots, Elastic Wrists and Ankles

TY122S-M	31710467	White, Medium	25/Cs
TY122S-L	31710466	White, Large	25/Cs
TY122S-XL	31710469	White, XLarge	25/Cs
TY122S-2XL	31710470	White, 2XLarge	25/Cs
TY122S-3XL	31710471	White, 3XLarge	25/Cs
TY122S-4XL	31710472	White, 4XLarge	25/Cs

Collar, Elastic Wrists and Ankles

TY125S-M	31710476	White, Medium	25/Cs
TY125S-L	31710475	White, Large	25/Cs
TY125S-XL	31710478	White, XLarge	25/Cs
TY125S-2XL	31710479	White, 2XLarge	25/Cs
TY125S-3XL	31710480	White, 3XLarge	25/Cs
TY125S-4XL	31710481	White, 4XLarge	25/Cs

Attached Hood, Elastic Wrists and Ankles

TY127S-M	31710485	White, Medium	25/Cs
TY127S-L	31710484	White, Large	25/Cs
TY127S-XL	31710487	White, XLarge	25/Cs
TY127S-2XL	31710488	White, 2XLarge	25/Cs
TY127S-3XL	31710489	White, 3XLarge	25/Cs
TY127S-4XL	31710490	White, 4XLarge	25/Cs



Disposable



DuPont™ Tychem® 4000 Coveralls

- » Tychem® 4000 is Saranex™ 23-P film laminated to Tyvek® fabric
- » Rugged and durable, uses include waste management, hazardous response and nuclear environments
- » Meets ASTM F1670 and ASTM F1671 tests, offering bloodborne pathogen protection
- » Front zipper closure and storm flap with tape closure



SL122B-2XL

ITEM #	ORDER #	DESCRIPTION	UOM
Collar, Open Wrists and Ankles			
SL120B-L	31710378	White, Bound, Large	12/Cs
SL120B-XL	31710381	White, Bound, XLarge	12/Cs
SL120B-2XL	31710382	White, Bound, 2XLarge	12/Cs
SL120B-3XL	31710383	White, Bound, 3XLarge	12/Cs
SL120B-4XL	31710384	White, Bound, 4XLarge	12/Cs
Attached Hood and Socks, Elastic Face and Wrists			
SL122B-XL	31710389	White, Bound, XLarge	12/Cs
SL122B-2XL	31710390	White, Bound, 2XLarge	12/Cs
SL122B-3XL	31710391	White, Bound, 3XLarge	12/Cs
Collar, Elastic Wrists and Ankles			
SL125T-L	31712378	White, Taped, Large	6/Cs
SL125T-XL	31710699	White, Taped, XLarge	6/Cs
SL125T-2XL	31712382	White, Taped, 2XLarge	6/Cs
SL125T-3XL	31713529	White, Taped, 3XLarge	6/Cs
SL125T-4XL	31713314	White, Taped, 4XLarge	6/Cs
SL125B-L	31710399	White, Bound, Large	6/Cs
SL125B-XL	31710402	White, Bound, XLarge	6/Cs
SL125B-2XL	31710403	White, Bound, 2XLarge	6/Cs
SL125B-3XL	31710404	White, Bound, 3XLarge	6/Cs
SL125B-4XL	31710405	White, Bound, 4XLarge	6/Cs



QC273BYL00010000



DuPont™ Tychem® 2000 Aprons

- » Light liquid splash protection is yellow polyethylene-coated Tyvek® fabric
- » Use in the petroleum, pulp and paper, food and chemical processing and pharmaceutical industries
- » Meets ASTM F1670 and ASTM F1671 tests, offering bloodborne pathogen protection
- » Bound neck and ties, bib style

ITEM #	ORDER #	DESCRIPTION	UOM
QC273BYL00010000	31714084	28" x 36" Long, Yellow	100/Cs



DuPont™ Tyvek® 400 Apron

- » Breathable inherent Tyvek® 400 fabric barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- » Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- » Bibb style, provides enhanced frontal protection
- » Bound seams around neck, ties at waist

ITEM #	ORDER #	DESCRIPTION	UOM
TY273BWH00010000	31710784	28" x 36" Long, White	100/Cs



TY273BWH00010000



Disposable



DuPont™ Tyvek® 400 Frocks

- » Breathable inherent Tyvek® 400 fabric barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- » Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- » Body-length jacket design with front snap closures
- » Serged seams and elastic waist
- » No pockets



TY210S-XL

ITEM #	ORDER #	DESCRIPTION	UOM
Open Wrists			
TY210S-M	31710494	White, Medium	30/Cs
TY210S-L	31710493	White, Large	30/Cs
TY210S-XL	31710496	White, XLarge	30/Cs
TY210S-2XL	31710497	White, 2XLarge	30/Cs
TY210S-3XL	31710498	White, 3XLarge	30/Cs
TY210S-4XL	31710499	White, 4XLarge	30/Cs

ITEM #	ORDER #	DESCRIPTION	UOM
Elastic Wrists, Extra Long			
TY211S-M	31710502	White, Medium	30/Cs
TY211S-L	31710501	White, Large	30/Cs
TY211S-XL	31710504	White, XLarge	30/Cs
TY211S-2XL	31710505	White, 2XLarge	30/Cs
TY211S-3XL	31710506	White, 3XLarge	30/Cs
TY211S-4XL	31713282	White, 4XLarge	30/Cs
TY211S-5XL	31713266	White, 5XLarge	30/Cs



TY212SWHLG003000



DuPont™ Tyvek® 400 Lab Coats

- » Breathable inherent Tyvek® 400 fabric barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- » Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- » Coat extends below hip with collar and front snap closures
- » Serged seams
- » Two front pockets

ITEM #	ORDER #	DESCRIPTION	UOM
TY212SWHMD003000	31710508	White, Medium	30/Cs
TY212SWHLG003000	31710507	White, Large	30/Cs
TY212SWHXL003000	31710510	White, XLarge	30/Cs
TY212SWH2X003000	31710511	White, 2XLarge	30/Cs
TY212SWH3X003000	31710512	White, 3XLarge	30/Cs



DuPont™ Tyvek® 400 Pants

- » Breathable inherent Tyvek® 400 fabric barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- » Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- » Open ankles and elastic waist
- » Serged seams



TY350SWHLG005000

ITEM #	ORDER #	DESCRIPTION	UOM
TY350SWHMD005000	31710528	White, Medium	50/Cs
TY350SWHLG005000	31710527	White, Large	50/Cs
TY350SWHXL005000	31710530	White, XLarge	50/Cs
TY350SWH2X005000	31710531	White, 2XLarge	50/Cs



Disposable



DuPont™ Tyvek® 400 Shirts

- » Breathable inherent Tyvek® 400 fabric barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- » Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- » Shirt with laydown collar and front snap closure
- » Long sleeve with open wrists

ITEM #	ORDER #	DESCRIPTION	UOM
TY303S-M	31710521	White, Medium	50/Cs
TY303S-L	31710520	White, Large	50/Cs
TY303S-XL	31710523	White, XLarge	50/Cs
TY303S-2XL	31710524	White, 2XLarge	50/Cs
TY303S-3XL	31710525	White, 3XLarge	50/Cs
TY303S-4XL	31710526	White, 4XLarge	50/Cs



TY303S-XL



TY657S



DuPont™ Tyvek® 400 Hood

- » DuPont™ Tyvek® 5.4 mil white hood with serged seams and elastic around face opening
- » Good fit around PAPR and extends over shoulders to offer full head protection
- » Used in lead and asbestos abatement/remediation, general maintenance/operations, spray-painting and general clean-up applications

ITEM #	ORDER #	DESCRIPTION	UOM
TY657S	31710539	White, Universal Size	100/Cs



DuPont™ ProShield® 30 Shoe and Boot Covers

- » Unique polyethylene extrusion coating for skid resistance
- » Tear-resistant fabric with seamless bottom
- » Fluid-resistant for safety and extended life
- » Virtually lint-free, will not delaminate
- » Generous cut



PE440SWHLG020000

ITEM #	ORDER #	DESCRIPTION	UOM
Shoe Covers, Skid-Resistant			
PE440SBULG020000	31711669	Blue, Large	100 Pr/Cs
PE440SBUXL020000	31711670	Blue, XLarge	100 Pr/Cs
PE440SWHLG020000	31710217	White, Large	100 Pr/Cs
PE440SWHXL020000	31710218	White, XLarge	100 Pr/Cs
Boot Covers, 13" High			
PE444SWHLG010000	31716622	13" High, White, Large	50 Pr/Cs
PE444SWHXL010000	31714441	13" High, White, XLarge	50 Pr/Cs



Disposable



DuPont™ Tyvek® 400 FC Boot and Shoe Covers

- » Tyvek® FC - Friction Coated - fabric
- » Serged seams
- » Elastic opening
- » Skid resistant



FC450SGY00020000



FC454SGY00010000

ITEM #	ORDER #	DESCRIPTION	UOM
FC454SGY00010000	31714100	18" High, Boot Covers	100/Cs
FC450SGY00020000	31713961	5" High, Shoe Covers	100/Cs



TY454SWH00010000



DuPont™ Tyvek® 400 Boot Covers

- » Breathable inherent Tyvek® 400 fabric barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- » Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- » Serged seams and elastic opening

ITEM #	ORDER #	DESCRIPTION	UOM
TY454SWH00010000	31718090	18" High, One Size Fits Most	100/Cs
Skid Resistant FC Sole and Elastic Ankle			
TY454SWHLG0100SR	31714075	18" High, Large	100/Cs
TY454SWHXL0100SR	31714065	18" High, XLarge	100/Cs



DuPont™ Tyvek® 400 Shoe Covers

- » Breathable inherent Tyvek® 400 fabric barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- » Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- » Serged seams and elastic opening



TY450SWH00020000

ITEM #	ORDER #	DESCRIPTION	UOM
TY450SWH00020000	31713959	5" High, One Size Fits Most	200/Cs
TY450SWH000200LG	31714083	8.25" High, One Size Fits Most	200/Cs



Disposable



58503



Kleenguard* A20 Breathable Particle Protection Coveralls

- » Protect against dirt, grime and dust
- » Made with breathable Microforce barrier fabric
- » Zipper front with 1" flap, elastic back, wrists and ankles
- » Passes NFPA 99 for antistatic materials
- » Meets the EPA Agricultural (WPS) requirements for "coveralls"

ITEM #	ORDER #	DESCRIPTION	UOM
White Coveralls			
49102	15408246	White, Medium	24/Cs
49103	15408248	White, Large	24/Cs
49104	15408250	White, XLarge	24/Cs
49105	15408244	White, 2XLarge	24/Cs
49106	15408245	White, 3XLarge	20/Cs
49107	15404910	White, 4XLarge	20/Cs

ITEM #	ORDER #	DESCRIPTION	UOM
Blue Coveralls			
58503	15408503	Blue, Large	24/Cs
58504	15400279	Blue, XLarge	24/Cs
58505	15408505	Blue, 2XLarge	24/Cs
58506	15408506	Blue, 3XLarge	20/Cs



Kleenguard* A10 Light-Duty Shoe Covers

- » Protect against dirt, grime and dust
- » Made with lightweight polypropylene breathable barrier fabric
- » Fully elasticized, have serged seams and are "low skid"
- » Meets ANSI/ISEA 101-1996 sizing standards

ITEM #	ORDER #	DESCRIPTION	UOM
36811	15406811	Blue, Size Universal	300/Cs



Kleenguard* A10 Light-Duty Aprons

43744



- » Protect against dirt, grime and dust
- » Coated with polyethylene and made of lightweight, breathable material
- » Serged seams, ties and do not have pockets

ITEM #	ORDER #	DESCRIPTION	UOM
43744	15400293	28" x 36", White	100/Cs



Kleenguard* A10 Light-Duty Coveralls

10468



- » Protect against dirt, grime and dust
- » Zipper front, elastic wrists and serged seams
- » Fabric is five layers of stacked barrier protection (SMMMS)
- » Meets ANSI/ISEA 101-1996 sizing standards

ITEM #	ORDER #	DESCRIPTION	UOM
10468	15401114	White, Large	25/Cs
10636	15401111	White, XLarge	25/Cs



36811



Disposable



46104



Kleenguard* A30 Breathable Splash and Particle Protection Coveralls

- » Protect against dirt, grime and light splashes
- » Made with breathable Microforce barrier fabric
- » Coverall features micro-fibers that filter out many water-based liquids and dry particulates
- » Zipper front with 1" flap, elastic back, wrists and ankles
- » Passes NFPA 99 for antistatic materials

ITEM #	ORDER #	DESCRIPTION	UOM
46103	15400581	White, Large	25/Cs
46104	15400582	White, XLarge	25/Cs
46105	15400583	White, 2XLarge	25/Cs
46106	15400585	White, 3XLarge	21/Cs
46107	15400586	White, 4XLarge	21/Cs



44324



Kleenguard* A40 Liquid and Particle Protection Coveralls

- » Made of breathable, microporous film to keep out debris, non-hazardous liquid chemicals and dry particulates
- » Zipper front
- » Passes NFPA 99 for antistatic materials, pass ASTM F1670 testing for penetration of blood and bodily fluids, and meet the ANSI/ISEA 101-1996 sizing standard

ITEM #	ORDER #	DESCRIPTION	UOM
With Collar, Open Wrists and Ankles			
44303	15400303	White, Large	25/Cs
44304	15400304	White, XLarge	25/Cs
44305	15400305	White, 2XLarge	25/Cs
44306	15400306	White, 3XLarge	25/Cs

With Attached Hood, Elastic Wrists and Ankles

44323	15400298	White, Large	25/Cs
44324	15400299	White, XLarge	25/Cs
44325	15401325	White, 2XLarge	25/Cs
44326	15400300	White, 3XLarge	25/Cs
44327	15400301	White, 4XLarge	25/Cs



Sleeves



NG500SWH00020000



DuPont™ ProShield® 60 Sleeves

- » Provides a barrier against a range of non-hazardous aerosols, light liquid splash and dry particles
- » Made with a microporous film that is laminated to a spunbonded polypropylene substrate
- » Applications include: automotive refinishing, waste cleanup and remediation
- » Serged seams, elastic at both ends (bicep and wrist) for arm protection

ITEM #	ORDER #	DESCRIPTION	UOM
NG500SWH00020000	31711577	18" Long, White, One Size Fits Most	200/Cs



DuPont™ Tyvek® 400 Sleeves

- » Breathable inherent Tyvek® 400 fabric barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- » Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- » Serged seams, elastic at both ends (bicep and wrist) for arm protection

ITEM #	ORDER #	DESCRIPTION	UOM
TY500S	31710538	18" Long, White, One Size Fits Most	200/Cs



TY500S

Honeywell

NORTH

Perfect Fit™ Kevlar® Sleeves

- » 2-ply, Kevlar® knit sleeves with thumb hole, offer arm protection for glass and steel industries
- » Sleeves of DuPont™ Kevlar® engineered fiber helps prevent cut and slashes
- » Kevlar® is also flame resistant, and can withstand heat up to 900°F (400°C)

ITEM #	ORDER #	DESCRIPTION	UOM
KVS-2-18TH	341514211	Yellow, 18" Length	EA



KVS-2-18TH



Kevlar® Double-Ply Cut-Resistant Sleeves

- » 7-gauge double-ply Certified DuPont™ Kevlar® fiber sleeves
- » Will not melt, ignite or conduct electricity
- » ANSI cut score of A3
- » Made with FDA-accepted materials for use in food processing applications

ITEM #	ORDER #	DESCRIPTION	UOM
Economy, Coverage to Wrist			
9378E	331416411	18" Long	EA
Coverage to Palm, Thumb Slot, ANSI Abrasion Level 2			
9378T	331493781	18" Long	EA
Economy, Coverage to Palm, Thumb Slot			
9378TE	331416441	18" Long	EA



9378TE



2003



Classic 3-Piece Rain Suit

- » Yellow 0.35 mm PVC/polyester suit with welded seams
- » 3-piece suit includes: jacket with detachable hood and bib pants
- » Take up snaps on the wrists and ankles
- » Snap front jacket with 2 pockets and suspender bib pant with fly front

ITEM #	ORDER #	DESCRIPTION	UOM
2003-L	331455641	Large	EA
2003-XL	331455651	XLarge	EA
2003-2X	331455661	2XLarge	EA
2003-3X	331455671	3XLarge	EA
2003-4X	331449851	4XLarge	EA

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



2403R



Classic 3-Piece Reflective Suit

- » Yellow 0.35 mm PVC/polyester suit with welded seams
- » 3-piece suit includes: jacket with detachable hood and bib pants
- » Silver reflective material on the jacket and pants
- » Take up snaps on the wrists and ankles
- » Snap front jacket with 2 pockets and suspender bib pant with fly front

ITEM #	ORDER #	DESCRIPTION	UOM
2403R-L	331426321	Large	EA
2403R-XL	331426351	XLarge	EA
2403R-2X	331426361	2XLarge	EA

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Rainwear



BJ38JHL



Big Jake Flame-Resistant Hi-Viz Jacket

- » Flame-resistant PVC/Nomex® jacket with 2" silver reflective stripes
- » Sturdy zipper front with large storm flap and cape ventilated back/D-ring access
- » Two front patch pockets
- » ANSI/ISEA 107-2015 Class 3, Type R Compliant
- » ASTM F1891 Standard Specification for Arc and Flame-Resistant Rainwear
- » HRC2 / CAT2, Arc Thermal Performance Value (ATPV) 8.9 cal/cm²

ITEM #	ORDER #	DESCRIPTION	UOM
BJ38JHM	331443361	Medium	EA
BJ38JHL	331443371	Large	EA
BJ38JHXL	331443381	XLarge	EA



Classic Rainwear Rider Coats

- » Black 0.35 mm PVC on polyester backing, 60" long coat
- » Split back can be snapped around each leg and worn as chaps
- » Detachable hood, corduroy collar
- » Cape ventilated back for air flow
- » Badge tab holder, 1 outer pocket with flap, 1 inner pocket



267C

ITEM #	ORDER #	DESCRIPTION	UOM
267C-L	331427171	Large	EA
267C-XL	331427201	XLarge	EA
267C-2X	331427211	2XLarge	EA
267C-3X	331427221	3XLarge	EA
267C-4X	331437381	4XLarge	EA

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Rainwear



Classic Series 49" Raincoats

- » Yellow 0.35 mm PVC/polyester backing
- » Detachable hood with drawstring
- » Rounded collar of same material
- » 2 patch snap pockets on the front
- » Cape ventilated back, underarm air vents

ITEM #	ORDER #	DESCRIPTION	UOM
200C-M	331482561	Medium	EA
200C-L	331482571	Large	EA
200C-XL	331482581	XLarge	EA
200C-2X	331482591	2XLarge	EA

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



200C



Dominator Rainwear

- » Green two-piece suit: jacket with attached hood and inner sleeves, bib pants w/no fly
- » 0.42 mm PVC/Hi-tensile polyester/PVC
- » Zipper front with double storm flap, no pockets or vents
- » 10" x 10" reinforced crotch for durability
- » Limited flammability, NOT intended for use as protection against ARC Flash or Flash Fire



3882

ITEM #	ORDER #	DESCRIPTION	UOM
3882-L	331456491	Large	EA
3882-XL	331456501	XLarge	EA
3882-2X	331429241	2XLarge	EA
3882-3X	331436261	3XLarge	EA

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Schooner Poncho

- » Blue 0.10 mm PVC disposable poncho
- » Attached hood
- » Fits easily into tool box, glove compartment or travel bag

ITEM #	ORDER #	DESCRIPTION	UOM
043	331423721	One Size Fits All	EA

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



043